

SYRANOL GREASE MP

NLGI GRADE	SYRANOL GREASE MP 2	SYRANOL GREASE MP 3	TEST METHOD
Color	Light Brown	Light Brown	Visual
Texture	Smooth	Smooth	Visual
Thickner Type	Lithium	Lithium	
Mineral Oil Viscosity @ 40 °C	200.0	200.0	D 445
@ 100 °C	17.5	17.5	D 445
Dropping Point (min), °C	190	195	D-2265
Worked Penetration at 25 °C	266/295	220/250	D-217
Oil Separation, mass % (max)	5	5	D-1742
Operating Temp, °C	-10 to120	-10 to 120	